


Epikut^s

LONG





- ***IDEAL FOR TOTAL REHABILITATION OF ATROPHIC MAXILLA***


- ***ADVANCED IMPLANT DESIGN FOR ENHANCED STABILITY:***

Our innovative approach features a 1.65mm thread-to-thread narrow apex for improved stability.

Epikut^s


LONG

The new definition of epic



- ***MACHINED COLLAR SURFACE:***

Reduces the risk of bacterial plaque accumulation if exposed, which can help control infections and complications such as peri-implantitis. In cases of a palatal approach, the machined surface aids in palatal soft tissue management.



- ***16° MORSE TAPER CONNECTION:***



Optimized design for achieving high primary stability in bone types I, II, III, and IV, along with high mechanical strength and a reliable connection, proven for more than a decade on the market.



- ***EXCLUSIVE DESIGN:***

The cutting and compressive buttress threads are double-threaded for faster insertion with predictable torque.

TECHNICAL MEASURES



18mm
20.0mm
22.0mm
24.0mm

LIST OF APPLICABLE PRODUCTS

	A	B	C	D	E
CODE	PLATFORM DIAMETER (MM)	CERVICAL DIAMETER (MM)	MINIMUM APICAL DIAMETER (MM)	MACHINED COLLAR HEIGHT (MM)	TOTAL LENGTH (MM)
ILMT 3818	3.8	3.8	1.65	2.8	18
ILMT 3820					20
ILMT 3822					22
ILMT 3824					24
ILMT 4018	4.0	4.0	1.65		18
ILMT 4020					20
ILMT 4022					22
ILMT 4024					24
ILMT 4218	4.2	4.2	1.65		18
ILMT 4220					20
ILMT 4222					22
ILMT 4224					24
ILMT 4518	4.5	4.5	1.88	18	
ILMT 4520				20	
ILMT 4522				22	
ILMT 4524				24	

16° MT LONG PROSTHETIC SEQUENCE

MULTI-UNIT ABUTMENT (ANALOG)

Multiple screw retained restorations

IMPLANT

CODE	DIAM. (mm)	LENGTH (mm)
ILMT 3818	3.8	18
ILMT 3820	3.8	20
ILMT 3822	3.8	22
ILMT 3824	3.8	24
ILMT 4018	4.0	18
ILMT 4020	4.0	20
ILMT 4022	4.0	22
ILMT 4024	4.0	24
ILMT 4218	4.2	18
ILMT 4220	4.2	20
ILMT 4222	4.2	22
ILMT 4224	4.2	24
ILMT 4518	4.5	18
ILMT 4520	4.5	20
ILMT 4522	4.5	22
ILMT 4524	4.5	24

STRAIGHT MULTI-UNIT ABUTMENT

CODE	DIAM. (mm)	HEIGHT (mm)
MAM 4801 C	4.8	1
MAM 4802 C	4.8	2
MAM 4803 C	4.8	3
MAM 4804 C	4.8	4

INDEXED ANGLED MULTI-UNIT ABUTMENT

CODE	DIAM. (mm)	HEIGHT (mm)	ANG.
MAAM 4802i	4.8	2	17°
MAAM 4803i	4.8	3	17°
MAAM 4804i	4.8	4	17°
MAAM 4832i	4.8	2	30°
MAAM 4833i	4.8	3	30°
MAAM 4834i	4.8	4	30°

ABUTMENT PROTECTOR

CODE: PMA 4855
5.0 mm profile

OPEN TRAY TRANSFER

CODE: TMAM 4800

ANALOG

CODE: ANMA 4800

TEMPORARY TITANIUM CYLINDER

CODE: PTM 4800-3 For straight multi-unit
PTMS 4800-3 For straight multi-unit Suitable for laser welding
PTM 4800-2 For angled multi-unit

CLOSED TRAY TRANSFER

CODE: TMFM 4800

CALCINABLE AND CO-CR CYLINDER

CODE: CPM 4800-3 Plastic For straight multi-unit
CLEM 4800-3 Cobalt-chrome For straight multi-unit
CPM 4800-2 Plastic For angled multi-unit
CLEM 4800-2 Cobalt-chrome For angled multi-unit

POLISHING PROTECTOR

CODE: PPM 01

LABORATORY SCREW

CODE: PL 1405 Short
PTMA 13-1 Long

RETAINING SCREW

CODE: PRH 20 2 For angled multi-unit

RETAINING SCREW PACK 4

CODE: PRH 30 3.0 For straight multi-unit

*Use hexagonal driver 1.2 mm
See All Multi-Unit Abutment Angles in Digital Sequence

16° MT LONG PROSTHETIC SEQUENCE

MULTI-UNIT ABUTMENT (DIGITAL)

Multiple screw retained restorations

IMPLANT

CODE	DIAM. (mm)	LENGTH (mm)
ILMT 3818	3.8	18
ILMT 3820	3.8	20
ILMT 3822	3.8	22
ILMT 3824	3.8	24
ILMT 4018	4.0	18
ILMT 4020	4.0	20
ILMT 4022	4.0	22
ILMT 4024	4.0	24
ILMT 4218	4.2	18
ILMT 4220	4.2	20
ILMT 4222	4.2	22
ILMT 4224	4.2	24
ILMT 4518	4.5	18
ILMT 4520	4.5	20
ILMT 4522	4.5	22
ILMT 4524	4.5	24

STRAIGHT MULTI-UNIT ABUTMENT

CODE	DIAM. (mm)	HEIGHT (mm)
MAM 4801 C	4.8	1
MAM 4802 C	4.8	2
MAM 4803 C	4.8	3
MAM 4804 C	4.8	4

INDEXED ANGLED MULTI-UNIT ABUTMENT

CODE	DIAM. (mm)	HEIGHT (mm)	ANG.
MAAM 4802i	4.8	2	17°
MAAM 4803i	4.8	3	17°
MAAM 4804i	4.8	4	17°
MAAM 4832i	4.8	2	30°
MAAM 4833i	4.8	3	30°
MAAM 4834i	4.8	4	30°
MAAM 4842	4.8	2	45° Slim
MAAM 4843	4.8	3	45° Slim
MAAM 48515i	4.8	1.5	52°
MAAM 48525i	4.8	2.5	52°
MAAM 48615i	4.8	1.5	60°
MAAM 48625i	4.8	2.5	60°

ABUTMENT PROTECTOR

CODE: PMA 4855
5.0 mm profile

MULTI-UNIT ABUTMENT SCANNING JIG

CODE: JBMA

MULTI-UNIT ABUTMENT DIGITAL ANALOG

CODE: ADMA

TITANIUM INTERFACE MULTI-UNIT ABUTMENT

CODE	LENGTH (mm)
IMAT 04	4.0
IMAT 06	6.0

CHROME INTERFACE MULTI-UNIT ABUTMENT

CODE	LENGTH (mm)
IMAC 04	4.0
IMAC 06	6.0

*Use hexagonal driver 1.2 mm

⊙ *Conical driver


■ *Square screw

⬠ *1.2 Hexagonal screw


⊙ *Non engaging

⊙ *Engaging


DRIVERS 1



DRIVERS 2



DRIVERS 3





Get to know Implantat, the educational streaming of S.I.N. Implant System.

 [implantat.global](https://www.implantat.global)

1-866-507-9315
[SINdentalusa.com](https://www.SINdentalusa.com)

Visit our social networks:



[@SINdentalUSA](https://www.instagram.com/SINdentalUSA)



[@SINdentalUSA](https://www.facebook.com/SINdentalUSA)



[S.I.N. Implant System](https://www.youtube.com/SINdentalUSA)